

**PCT**WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>6</sup> :</b> <b>A23K 1/18, 1/16</b>	<b>A1</b>	<b>(11) International Publication Number:</b> <b>WO 95/07028</b> <b>(43) International Publication Date:</b> 16 March 1995 (16.03.95)
<b>(21) International Application Number:</b> PCT/NO94/00146 <b>(22) International Filing Date:</b> 2 September 1994 (02.09.94) <b>(30) Priority Data:</b> 933160 6 September 1993 (06.09.93) NO <b>(71) Applicant (for all designated States except US):</b> BP NUTRI- TION ARC [NO/NO]; P.O. Box 532, N-4001 Stavanger (NO). <b>(72) Inventors; and</b> <b>(75) Inventors/Applicants (for US only):</b> LADSTEIN, Kirsti [NO/NO]; Byfogd Christensensgate 24, N-4017 Stavanger (NO). THORSEN, Fred [NO/NO]; Klappmyssveien 12, N-4085 Hundvåg (NO). <b>(74) Agents:</b> HÅMSØ, Borge et al.; Håmsø Patentbyrå, P.O. Box 171, N-4301 Sandnes (NO).		<b>(81) Designated States:</b> AM, AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, JP, KE, KG, KP, KR, KZ, LK, LR, LT, LU, LV, MD, MG, MN, MW, NL, NO, NZ, PL, PT, RO, RU, SD, SE, SI, SK, TJ, TT, UA, US, UZ, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG), ARIPO patent (KE, MW, SD).  <b>Published</b> <i>With international search report.</i> <i>In English translation (filed in Norwegian).</i>
<b>(54) Title:</b> FODDER AND METHOD FOR PRODUCTION OF FODDER CONTAINING LIPIDS OF LOW MELTING TEMPERATURE, IN PARTICULAR FODDER FOR AQUATIC ORGANISMS  <b>(57) Abstract</b>  A fodder contains lipids having a low melting point, especially a fodder for aquatic organisms, wherein the lipids are carried within a crystalline structure formed by other lipids, emulsifiers or a mixture of lipids and emulsifiers. A method for making said fodder, wherein into the lipids firstly is mixed an additive component cooperating with the lipids, and forming a mixture which is at least partly crystalized at the fodder's highest temperature of use and storage. The mixture is added at elevated temperature to porous pellets, and the subsequent cooling brings the mixture into a crystalized state.		

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	IE	Ireland	NZ	New Zealand
BJ	Benin	IT	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgyzstan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LU	Luxembourg	TD	Chad
CS	Czechoslovakia	LV	Latvia	TG	Togo
CZ	Czech Republic	MC	Monaco	TJ	Tajikistan
DE	Germany	MD	Republic of Moldova	TT	Trinidad and Tobago
DK	Denmark	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	US	United States of America
FI	Finland	MN	Mongolia	UZ	Uzbekistan
FR	France			VN	Viet Nam
GA	Gabon				

Fodder and Method for Production of Fodder Containing  
Lipids of Low Melting Temperature, in Particular Fodder  
for Aquatic Organisms.

---

The invention relates to a fodder containing lipides having a low melting temperature, particularly a fodder for aquatic organisms, and a method for making such a fodder.

Fodder for aquatic organisms such as e.g. fish, is to contain energy, micronutrients and proteins in a proportion varying from species to species. It has been found that salmonids needs a fodder relatively rich on energy. Energy may come from proteins, lipides and hydrocarbons, but lipids are preferred both with regard to nutrition and with regard to fodder economy.

In order to achieve a fodder having a combination of lipides and proteins giving good growth, having the lowest possible raw material price as well as the desired physical properties such as e.g. low sinking speed in water, liquid lipides are supplied to a dry, porous pellet. The lipides are absorbed and kept in the pores of the pellet.

Marine oils have be found to be nutritional favourable. The ordinarily used oils are liquid at normal ambient temperature. Oils leaks out from the pores, and the leakage increases with temperature. The nutritional value is reduced and at the same time, the oil both pollutes and can cause feeding equipment and other farm equipment to malfunction. Leakage of oil may appear even in the manufacturing process and is, thus, also a disadvantage for the feed producer.

Recently, there has been a development towards increasingly more lipid-rich fodder for salmonids. Leakage of oil restricts the amount of lipid having a low melting temperature that the fodder can contain, and this fact has restrained the product development in the field in question. How much oil a pellet can hold depends primarily on the porosity, the nature of the oil and the ambient temperature.

In order to be capable of using the preferred marine oils having a low melting point, the fodder producers have taken several measures in order to prevent leakage. One approach has been to try various solid materials in order to improve the structure and porosity of the dry pellet, thus increasing the ability to absorb oil. The addition of oil has been tried at various stages in the production process, and the production equipment has been modified. Also a thickener such as lecithin has been added the oil. Up to now, none of these measures have reduced leakage of oil to an acceptable level, while still maintaining important fodder properties such as taste, nutritious value and digestibility.

The object of the invention is to provide a fodder containing lipides having a low melting point, at the same time reducing the risk for leakage. Also, an further objective is to provide a method for making such a fodder.

The objectives are achieved through features as defined in the following claims.

In the following, the invention is firstly described in general, and then through three embodiments.

The main principle of the invention is related to the fact that lipides which have a low melting point, i.e. in the form of an oil, are bound in a crystalline structure formed upon the addition of an additive component of lipid nature, and which normally has a higher melting temperature than the oil.

The crystalline structure is stable at temperatures above the normal use and storage temperature of the fodder. The additive + oil is applied in a liquid state at elevated temperature to porous pellets and, following cooling, the crystalized mixture stays, as well demonstrated, within pores in the pellets, but in a solid or jelly-like form. Experiments have shown that lipids having a melting point above fifty degrees Celcius and containg more than five percent fatty acids having twenty carbon atoms or more, are well suited to function as the additive component. Also, good results have been achieved with mono- and di-glyceride emulsifiers, as well as tri- glyceride.

Lipides having a lower melting point remain liquid within the crystalline structure, but it is assumed that a portion of these lipides are included in the crystalline structure as well. Provided that the additive component forms a crystalline structure capable of accommodating the actual lipides, the mixture appears in a solid or jelly-like form at relatively high ambient temperature. In order for the mixture to penetrate well into the porous pellet, it may be necessary to keep both the mixture and the pellet at an elevated temperature for a period. Additive components containing mono-, di-, tri-glyceride seem to give an improved penetration into the pores.

That a crystalized additive component can serve as a carrier for liquid lipides, may be explained by the fact that the additive component forms a crystalline structure consisting of many small crystals rather than a few and large crystals, thus forming many microscopic crystal boundaries with spaces for liquid lipides.

The ability of a crystalized additive component to hold on to oil at a given temperature can be measured by keeping a mixture of oil and additive component in a measuring glass at the actual temperature. A crystalized sediment is formed, carrying a larger or smaller part of the oil, and free oil

becomes floating on top of the sediment. After e.g. one day, the level of the sediment, called the crystallization height, and the total height to the liquid surface is read. The proportion between the two levels/heights is a measure of the ability of the additive component to hold on to oil at the actual temperature. Experiments have shown that in order to achieve a satisfactory binding of oil within the fodder, the additive component - at the fodder's highest storage or use temperature - should give a crystallization height (level) corresponding to at least half the total height, when measured as described.

The table below represents measurements of achieved percentage crystallization height with varying concentrations of different additive components in a marine oil at a temperature of forty degrees Celsius.

Additive component	Concentration in percent					
	1-2	2-3	3-4	4-5	6-7	8
Tempered rape seed oil (A)	25	75	--	85	--	95
Mono-glyceride (B)	--	--	65	--	95	--
Mono-di-glyceride (C)	--	50	--	95	--	--
Mixture A + B	45	65	95	95	100	--
Mixture A + C	50	40	60	100	95	--

In the table, three additive components are indicated by name and, additionally, denoted through a capital letter A, B and C. Also, measurements from experiments using mixtures of the additive components A and B as well as A and C are recorded. The table shows that a satisfactory binding of oil is achieved, i.e. corresponding to approximately fifty percent crystallization height, when two to four percent of the shown additive components are added into the oil.

In a first example of embodiment of the invention, melted, fully tempered rape seed oil having a melting point of about

sixty degrees Celsius is added to marine fish oil. This corresponds to additive component A in the table. Thus, the additive component as well as the marine oil are lipides. The liquid mixture of tempered rape seed oil and marine fish oil are applied to, and absorbed by, the dry pellet at elevated temperature, so that crystallization does not start before the mixture is absorbed. The capelin oil should have a temperature of at least forty degrees Celsius, in order to achieve a homogenous mixture and in order to avoid that the rape seed oil crystallizes immediately. Crystallization occurs at twenty five to thirty five degrees Celsius, dependent on the cooling speed and the percentage amount of rape seed oil added.

In a second example of embodiment, a mono-glyceride of a saturated vegetable oil was used, the oil having a melting point of about seventy two degrees Celsius. When adding three percent mono-glyceride into marine fish oil, more than fifty percent crystallization height is achieved, such as indicated for additive component B in the table. The mixture is supplied to the porous pellet at elevated temperature as described above.

As a third example of embodiment, it should be mentioned that a mono-di-glyceride lacking a defined melting point and containing about fifty percent mono-glyceride of a vegetable oil, crystallizes together with capelin oil and gives satisfactory crystallization height when the concentration exceed three percent, such as indicated in the table for additive component C. Also this mixture is added to the porous pellet at elevated temperature.

In other respects, experiments have shown that a mixture of tempered rape seed oil and mono-di- and/or tri-glyceride functions well as crystalizing additive components in capelin oil, such as indicated for the mixtures A+B and A+C in the table. When mixing mono-, di-, tri-glyceride into the tempered rape oil, the amount of the latter may be reduced,

effecting a better penetration into porous pellets. Additionally, some improvement in the digestibility of the fodder may be expected. No substantial loss of nutritional value, digestibility or palatability of fish fodder made in accordance with the invention has been found, where as leakage and loss of lipides have been greatly reduced.

## C l a i m s

1. A fodder, particularly a fodder for aquatic organisms, the fodder comprising pellets of a type known per se, and wherein lipides having a low melting point have been added to the pelletized fodder, c h a r a c t e r i z e d i n that the lipides are carried within a crystalline structure formed by other lipides, emulsifiers or a mixture of lipides and emulsifiers.
2. A fodder as set forth in claim 1, c h a r a c t e r i z e d i n that the crystalline structure is formed by a tempered oil such as rape seed oil.
3. A fodder as set forth in claim 1, c h a r a c t e r i z e d i n that the crystalline structure is formed by a mono-glyceride, di-glyceride or tri-glyceride, or, possibly, mixtures thereof.
4. A fodder as set forth in claim 1, c h a r a c t e r i z e d i n that the crystalline structure is formed by a tempered oil mixed with mono-glyceride, di-glyceride and or tri-glyceride.
5. A method for making a fodder as set forth in claim 1, c h a r a c t e r i z e d i n that into the lipides firstly is mixed with an additive component which interacts with the lipides, and forming a mixture which at least is partly crystalized at the fodder's highest temperature of use and storage, and that the mixture of lipoides and an additive component is heated to liquid state and added to the porous pellets which, after having absorbed a desired amount of the mixture, is cooled to ambient temperature.

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/NO 94/00146

## A. CLASSIFICATION OF SUBJECT MATTER

IPC6: A23K 1/18, A23K 1/16

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC6: A23K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SE,DK,FI,NO classes as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

EDOC, WPI, DIALINDEX

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	GB, A, 2217175 (UNILEVER PLC), 25 October 1989 (25.10.89), claims 1,13-15 --	1,5
A	EP, A2, 0425213 (UNILEVER PLC), 2 May 1991 (02.05.91), claims 1,23,24 --	1,5
A	US, A, 4053646 (W.R. WRIGHT ET AL.), 11 October 1977 (11.10.77), claims 3,19 -- -----	1,5

☐ Further documents are listed in the continuation of Box C.☒ See patent family annex.

## \* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&amp;" document member of the same patent family

Date of the actual completion of the international search

25 November 1994

Date of mailing of the international search report

08 -12- 1994

Name and mailing address of the ISA/

Swedish Patent Office

Box 5055, S-102 42 STOCKHOLM

Facsimile No. +46 8 666 02 86

Authorized officer

INGA-KARIN PETERSSON

Telephone No. +46 8 782 25 00

**INTERNATIONAL SEARCH REPORT**  
Information on patent family members

29/10/94

International application No.  
PCT/NO 94/00146

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
GB-A- 2217175	25/10/89	NONE	
EP-A2- 0425213	02/05/91	NONE	
US-A- 4053646	11/10/77	NONE	